CB039A
HP Printer Officejet Pro L7780 AiO

This file was downloaded from here

Product Description
HP Printer Officejet Pro L7780 AiO - A4, up to 35ppm black, 34ppm mixed text/colour graphics, up to 4800x1200 dpi on Photo paper, 64MB + 32MB RAM, USB-2

Specifications on this product range

Fast facts	
Print speed (black, draft quality, A4)	Up to 35 ppm
Print speed (colour, draft quality, A4)	Up to 34 ppm
Print quality (colour, best quality)	Up to 4800 x 1200 optimised dpi colour when printing on HP Premium Photo Paper; 1200 x 1200 dpi input
Hardware scanning resolution	Up to 2400 x 4800 dpi
Network capabilities	Via embedded 10/100BT Ethernet or 802.11g WLAN
Auto document feeder capacity	Standard, 50 sheets
Memory card compatibility	CompactFlash™ Type I and II, Secure Digital/MultiMediaCard/Secure MultiMediaCard, xD-Picture Card, Sony Memory Stick®, MagicGate Memory Stick, Memory Stick Duo, Memory Stick Pro
Duplex print options	Automatic (standard)
Duty cycle (monthly, A4)	Up to 7500 pages per month

Printing system

Print technology	HP Thermal Inkjet
Compatible ink types	Dye-based (colour), pigment-based (black)
Print speed (black, draft quality, A4)	Up to 35 ppm
Print speed (colour, draft quality, A4)	Up to 34 ppm
Print speed (black, fast normal quality, A4)	Up to 16 ppm
Print speed (colour, fast normal quality, A4)	Up to 15 ppm
Print speed (black, normal quality, A4)	Up to 12 ppm
Print speed (colour, normal quality, A4)	Up to 10 ppm
Print speed (black, best quality, A4)	Up to 5 ppm
Print speed (colour, best quality, A4)	Up to 5 ppm
Print speed (colour photo, best quality)	As fast as 90 sec
Print quality (black, best quality)	Up to 1200 rendered dpi black when printing from a computer
Print quality (colour, best quality)	Up to 4800 x 1200 optimised dpi colour when printing on HP Premium Photo Paper; 1200 x 1200 dpi input
Standard printer languages	HP PCL 3 GUI
Typefaces	2 built-in: Courier, Letter Gothic; no scalable fonts
Page yield footnote	For information on page yield, visit www.hp.com/go/pageyield, or see product packaging
Print speed footnote	*Print speed may vary depending on the type of output.

Fax functionality

Modem	33.6 Kbps
Fax speed	3 sec per page*
A4 pages held in memory	Up to 125
Fax speed footnote	*Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
Colour faxing	Yes
Auto-redialing	Yes
Fax delayed sending	Yes

Max nr. of broadcasting locations	20

Scan system

Scan type	Flatbed, ADF
Optical scanning resolution	Up to 2400 dpi
Hardware scanning resolution	Up to 2400 x 4800 dpi
Enhanced scanning resolution	Up to 19200 dpi
Bit depth	48-bit
Gray scale levels	256
Twain version	Version 1.9
Image scaling or enlargement range	25 to 400%
Copy speed (black, draft quality, A4)	Up to 35 cpm
Copy speed (colour, draft quality, A4)	Up to 34 cpm
Copy speed (black, normal quality, A4)	Up to 16 cpm
Copy speed (colour, normal quality, A4)	Up to 15 cpm
Copy speed (black, best quality, A4)	Up to 5 cpm
Copy speed (colour, best quality, A4)	Up to 5 cpm
Copy resolution (black text)	Up to 1200 x 600 dpi
Copy resolution (colour text and graphics)	Up to 1200 x 600 dpi
Maximum number of copies	Up to 99

Photo printing and smart features

Memory card compatibility	CompactFlash™ Type I and II, Secure Digital/MultiMediaCard/Secure MultiMediaCard, xD-Picture Card, Sony Memory Stick®, MagicGate Memory Stick, Memory Stick Duo, Memory Stick Pro

Software included	Printer Drivers for Mac and Windows®, HP Photosmart Essential Software, HP Photosmart Express, Readiris Pro OCR software

Paper handling

Auto document feeder capacity	Standard, 50 sheets
Duplex print options	Automatic (standard)
Paper handling standard/input	250-sheet input tray; 350-sheet 2nd tray
Paper handling standard/output	150-sheet output tray
Standard media sizes	A4 (210 x 297 mm), A5 (148 x 210 mm), A6 (105 x 148 mm), B5 (176 x 250 mm), C5 (162 x 229 mm), C6 (114 x 162 mm), 100 x 150 mm
Custom media sizes	76 x 127 to 216 x 356 mm
Media types supported	Paper (plain, inkjet, photo), envelopes, labels, cards (index, greeting), transparencies
Media weights by paper path	Tray 1: 60 to 105 g/m² (plain media), 60 to 200 g/m² (special media), up to 200 g/m² (cards media); Tray 2: 60 to 105 g/m² (plain media)
Maximum input capacity (10x15cm photos)	Up to 55

Other technical information

Standard connectivity	802.11b/g WLAN, 10/100BT Ethernet, Hi-Speed USB - compatible with USB 2.0 specification, V.34 Colour Fax
Optional connectivity	HP bt300 Bluetooth Wireless Printer Adaptor Q3395A
Network capabilities	Via embedded 10/100BT Ethernet or 802.11g WLAN
Standard memory	64 MB
Compatible operating systems	Microsoft® Windows® 2000, XP Home, XP Professional, XP Professional x64; Certified for Windows Vista™; Mac OS X v 10.3.9 or higher; Mac OS X v 10.4.9 or higher; With Windows Vista®, some features may not be available
Compatible network operating systems	Microsoft® Windows® 2000, XP Home, XP Professional, XP Professional x64, Windows Vista™ Ready, Novell NetWare 5.x, 6, 6.5, Apple Mac OS X v 10.3.9 or higher, v 10.4.9 or higher, Bonjour (Rendezvous) compatible; with Windows Vista™, some features may not be available

Minimum system requirements	Microsoft® Windows® 2000 Service Pack 4, XP Home, XP Professional (32-bit): Intel® Pentium® II or Celeron® processor, 128 MB RAM, Internet Explorer 6.0, 280 MB free hard disk space; Microsoft® Windows® XP Professional x64: AMD Athlon™ 64 or Opteron™ processor, Intel® Xeon® or Pentium® processor with Intel® EM64T support, 128 MB RAM, Internet Explorer 6.0, 280 MB free hard disk space; Windows Vista®: 800 MHz 32-bit (x86) or 64-bit (x64) processor, 512 MB RAM, Internet Explorer 7.0, 790 MB free hard disk space; Adobe® Acrobat® Reader 5 or higher; With Windows Vista®, some features may not be available
Power supply type	External
Power requirements	Input voltage 100 to 240 VAC (+/- 10%), 50 to 60 Hz (+/- 3 Hz), 1.8 amp
Power consumption	10 watts maximum (sleep), 16 watts maximum (ready), 28 watts maximum (printing), 33 watts maximum (fax/copy)
Duty cycle (monthly, A4)	Up to 7500 pages per month
Weight	18.49 kg
Package weight	26.6 kg
Dimensions (W x D x H)	531 x 485 x 444 mm
Acoustic power emissions	6.5 B(A) (printing at 16 ppm) normal mode; 6.8 B(A) (printing at 35 ppm) draft mode
Operating humidity range	20 to 80% RH
Recommended humidity operating range	25 to 75% RH
Non-operating humidity	20 to 80% RH
Operating temperature range	5 to 40º C
Recommended operating temperature range	15 to 32º C
Energy Star certified	No
What's in the box	HP Officejet Pro L7780 All-in-One Printer, Fax, Scanner, Copier, HP Automatic Two-sided Printing Accessory C9278A, HP 350-sheet Paper Tray CB007A, HP 88 Officejet Ink Cartridges (Black, Cyan, Magenta, Yellow), HP 88 Officejet Printheads (Black and Yellow, Magenta and Cyan), Ethernet cable, printer software and user’s guide on CD-ROM, getting started guide, setup poster, power cable, phone cord, sample media kit, Readiris Pro OCR software

Warranty	Standard one-year limited hardware warranty. Warranty and support options vary by product, country and local legal requirements.

© 2002 - 2011 ComXpert International CC

Accuracy of information is not guaranteed.
Images are a reference and may differ from actual product.
E&OE. Terms and conditions apply.

Full site: http://www.comx.co.za/
Mobile site: http://m.comx.co.za/
Enhanced mobile site: http://touch.comx.co.za/
Facebook: http://www.facebook.com/pages/ComX-Computers/130126582879
Twitter: http://twitter.com/comxcomputers